Toxicology Letters, 53 (1990) 353–356
Elsevier

AUTHOR INDEX VOL. 53 (1990)

Allen, S.L., see Kyriakides, M.A., 285
Anders, M.W., see Dekant, W., 53
Anders, M.W., see Vamvakas, S., 115
Ansari, R.A., see Berndt, W.O., 87
Appenroth, D. and Kersten, L., The activity of chromate reduction in renal tissue corresponds to chromate nephrotoxicity – developmental aspects, 157
Azou, B.L. and Cambar, J., Protective effect of verapamil in cyclosporin-incubated isolated rat glomeruli, 247

Bakke, J.E. and Davison, K.L., Renal processing of glutathione conjugates by rat, chicken, pig and calf, 127
Bakke, J.E., see Davison, K.L., 135
Barron, E.T., O'Brien, A. and Ryan, M.P., Primary cultures of rat and rabbit renal proximal epithelium as models for nephrotoxicity investigations, 161
Baumann, K., see Hannemann, J., 187
Becher, R., see Lund, B. -O., 297
Berndt, W.O. and Ansari, R.A., Nephrotoxicity of metals: effects on plasma membrane function, 87
Blackburn, R. and Prashad, D., The avian renal portal system: a model for studying nephrotoxicity of xenobiotics, 219
Bladeren, P.J.V., see Bruggeman, I.M., 167
Blagbrough, I.S., Buckberry, L.D., Bycroft, B.W. and Shaw, P.N., Human renal C-S lyase: structure–activity relationships of cytosolic and mitochondrial enzymes, 257
Blagbrough, I.S., see Buckberry, L.D., 253
Bonner, F.W., see Halligan, S., 183
Borch, R.F. and Montine, T.J., Renal toxicity of antineoplastic agents, 93
Bossaller, C., see Olbricht, C.J., 251
Bräunlich, H., Involvement of tubular transport processes in nephrotoxicity, 223
Brown, P.I., see Rankin, G.O., 207
Bruggeman, I.M., Bladeren, P.J.V. and Temmink, J.H.M., Transport and toxicity of $CdCl_2$ in LLC-PK_1 cells, 167
Buckberry, L.D., Blagbrough, I.S., Bycroft, B.W. and Shaw, P.N., Human renal C-S lyases: two cytosolic isoenzymes, 253
Buckberry, L.D., see Blagbrough, I.S., 257
Busey, W.M., see Wilson, N.H., 155
Bycroft, B.W., see Blagbrough, I.S., 257
Bycroft, B.W., see Buckberry, L.D.,, 253

Cal, J.-C., Saurel, J. and Cambar, J., Evidence of circadian variations in mercuric-chloride-induced proximal tubular necrosis by digital imaging microscopy, 169
Cambar, J., see Azou, B.L., 247
Cambar, J., see Cal, J.-C., 169
Caudill, D., see Lehman-McKeeman, L.D., 193
Chakrabarti, S., Vu, D.D. and Côté, M.G., Effects of *S*-(1,2-dichlorovinyl)-L-cysteine on the transport of para-aminohippurate ion in renal plasma membrane vesicles, 131
Chappey, O., see Houzé, P., 339
Chieh-Yin, H., see Tune, B.M., 81
Cojocel, C., see Müller, W., 151
Côté, M.G., see Chakrabarti, S., 131
Cox, P.G.F., Moons, M.M., Russel, F.G.M. and Van Ginneken, C.A.M., Naproxen and indomethacin: disposition and effects in the isolated perfused rat kidney, 175

Dahl, J.E., see Lund, B. -O., 297
Daley-Yates, P.T., see Maiza, A., 231
Daley-Yates, P.T., see Nasseri, K., 243
Darnerud, P.O., see Hagberg, G.-B., 139
Davison, K.L. and Bakke, J.E., Elimination of ^{14}C by calves, pigs and rats renally perfused with radiolabelled dichlorovinyl or acetamide substrates, 135
Davison, K.L., see Bakke, J.E., 127
Dekant, W., Vamvakas, S. and Anders, M.W., Biosynthesis, bioactivation, and mutagenicity of *S*-conjugates, 53
Dekant, W., see Henschler, D., 105
Dekant, W., see Koob, M., 143
Dekant, W., see Ullrich, K.J., 19
Dietrich, D.R. and Swenberg, J.A., Lindane in-

duces nephropathy and renal accumulation of α2u-globulin in male but not in female Fischer 344 rats or male NBR rats, 179
Donahoe, R.M., Commentary 'In vitro immunotoxicology and immunopharmacology: studies on drugs of abuse' by R.M. Pillai and R.R. Watson, 265

Eilrich, G.L., see Wilson, N.H., 155

Ford, W.H., see Wilson, N.H., 155
Foulkes, E.C., Transport of heavy metals by the kidney, 29
Fujimaki, H. and Kawagoe, A., Enhanced antibody production in W/W^{v} mice exposed to ozone, 343
Fukuhara, Y., see Nakahama, H., 201

Gallo, M.A., see Thomas, T., 315
Gallons, H., see Houzé, P., 339
Gemborys, M., see Ullrich, K.J., 19
Golenhofen, N., Heuner, A., Mildenberger, S., Schwegler, J.S. and Silbernagl, S., Mercapturic acid formation in cultured opossum kidney cells, 261
Graham, M.J., see Halligan, S., 183
Gray, T.J.B., see Halligan, S., 183
Grieve, E.M., Whiting, P.H. and Hawksworth, G.M., Arachidonic-acid-dependent metabolism of 2-bromoethanamine to a toxic metabolite in rat medullary interstitial cell cultures, 225
Gröne, H. -J., see Olbricht, C.J., 251
Gstraunthaler, G., Steinmassl, D. and Pfaller, W., Renal cell cultures: a tool for studying tubular function and nephrotoxicity, 1
Gstraunthaler, G., see Pfaller, W., 39
Guder, W.G., Schmidt, D., Hofmann, W., Sackerer, D. and Hartinger, A., Biochemical markers to monitor nephrotoxic effects in patients, 37
Gutjahr, E., see Olbricht, C.J., 251

Hagberg, G.-B., Nordlander, U. and Darnerud, P.O., Dichlorovinyl cysteine (DCVC)-induced enzymuria in mice: potential application in occupational toxicology?, 139
Halligan, S., Graham, M.J., Gray, T.J.B., Harpur, E.S. and Bonner, F.W., A quantitative method for the measurement of urinary glycosaminoglycans – potential use in studies of xenobiotic nephrotoxicity, 183
Hannemann, J. and Baumann, K., Peroxidative potential of suramin and effect on organic ion transport in rat kidney cortex, 187
Harper, P.A., see Ito, S., 189
Harpur, E.S., see Halligan, S., 183
Harpur, E.S., see Phipps, D.J., 203
Hartinger, A., see Guder, W.G., 37
Hawksworth, G.M., see Grieve, E.M., 225
Hawksworth, G.M., see McLaren, J., 237
Hazen-Martin, D.J., see McMartin, K.E., 241
Henschler, D. and Dekant, W., Nephrocarcinogenic xenobiotics, 105
Heuner, A., see Silbernagl, S., 45
Hofmann, W., see Guder, W.G., 37
Horio, M., see Nakahama, H., 201
Houzé, P., Chappey, O., Gallons, H. and Scherrmann, J.-M., 1-Methyl-4-phenylpyridinium (MPP^{+}) does not exhibit paraquat-like immunoreactivity, 339

Ito, S., Harper, P.A. and Koren, G., Renal tubular cell handling of digoxin and ouabain – in vitro study using LLC-PK$_1$ cell lines, 189

Jans, A.W.H., see Winkel, C., 173
Jones, T.W., see Stevens, J.L., 121

Kamada, T., see Nakahama, H., 201
Kanamori, K., see Ross, B.D., 9
Kawagoe, A., see Fujimaki, H., 343
Kersten, L., see Appenroth, D., 157
Killeen, J.C., Jr., see Wilson, N.H., 155
Köchling, A., see Koob, M., 143
Kolman, A., Näslund, M. and Osterman-Golkar, S., Studies of the rad-equivalence of ethylene oxide in the presence and absence of 12-*O*-tetradecanoylphorbol-13-acetate (TPA) in C3H/10T1/2 cells, 307
Koob, M., Köchling, A., Weber, S., Lau, S.S., Monks, T.J. and Dekant, W., Cytotoxicity of 2-bromo-(*N*-acetylcystein-*S*-yl)hydroquinone isomers in rat renal tubular epithelial cells, 143
Koren, G., see Ito, S., 189
Kyriakides, M.A., Sawyer, R.T., Allen, S.L. and Simpson, M.G., Mechanism of action of triethyltin on identified leech neurons, 285

Låg, M., see Lund, B. -O., 297

Lash, L.H., Susceptibility to toxic injury in different nephron cell populations, 97
Lau, S.S., see Koob, M., 143
Lau, S.S., see Mertens, J.J.W.M., 147
Lau, S.S., see Monks, T.J., 59
Lehman-McKeeman, L.D., Caudill, D., Takigiku, R., Schneider, R.E. and Young, J.A., Comparative disposition of *d*-limonene in rats and mice: relevance to male-rat-specific nephrotoxicity, 193
L'Eplattenier, H.F., Zhao, J., Pfannkuch, F., Scholtysik, G. and Wüthrich, A., Cell culture in nephrotoxicity testing, 227
Lock, E.A., Chronic nephrotoxicity of 2,2,4-trimethylpentane and other branched-chain hydrocarbons, 75
Lund, B.-O., Becher, R., Låg, M. and Dahl, J.E., Covalent binding of *o,p'*-DDD in rabbit lung and isolated rabbit lung cells, 297

MacKenzie, S.A., see Thomas, T., 315
Maiza, A. and Daley-Yates, P.T., Estimation of the renal clearance of drugs using endogenous *N*-1-methylnicotinamide, 231
Mandel, L.J., see Ruegg, C.E., 33
Mayer, D., see Müller, W., 151
McGlynn, H. and Ryan, M.P., Gentamicin nephrotoxicity in rat renal proximal tubular cells, 197
McLaren, J., Whiting, P.H. and Hawksworth, G.M., Maintenance of glucose uptake in suspensions and cultures of human renal proximal tubular cells, 237
McMartin, K.E., Hazen-Martin, D.J. and Sens, D.A., Use of human proximal tubule cell cultures to study folate transport and binding, 241
Meredith, C., Scott, M.P., Pekelharing, H. and Miller, K., The effect of Biostim (RU-41740) on the expression of cytokine mRNAs in murine peritoneal macrophages in vitro, 327
Mertens, J.J.W.M., Sterck, J.G.H., Lau, S.S., Monks, T.J., Van Bladeren, P.J. and Temmink, J.H.M., Cytotoxicity of nephrotoxic glutathione-conjugated halohydroquinones, 147
Metzler, M., Nephrocarcinogenicity of estrogens, 111
Miller, K., see Meredith, C., 327
Monks, T.J. and Lau, S.S., Nephrotoxicity of quinol/quinone-linked *S*-conjugates, 59
Monks, T.J., see Koob, M., 143
Monks, T.J., see Mertens, J.J.W.M., 147
Montine, T.J., see Borch, R.F., 93
Moons, M.M., see Cox, P.G.F., 175
Moriyama, T., see Nakahama, H., 201
Müller, W., Cojocel, C. and Mayer, D., Effects of antioxidants and of different metabolic activation systems on dichlorovinylcysteine-induced genotoxicity, 151

Nakahama, H., Moriyama, T., Horio, M., Fukuhara, Y., Ueda, N., Orita, Y. and Kamada, T., Netilmicin affects Na^+-dependent D-glucose transport and the membrane fluidity of rabbit renal brush-border membrane vesicles: a comparison with gentamicin, 201
Narasimhan, N.F.P.T., see Ross, B.D., 9
Näslund, M., see Kolman, A., 307
Nasseri, K. and Daley-Yates, P.T., A comparison of *N*-1-methylnicotinamide clearance with 5 other markers of renal function in models of acute and chronic renal failure, 243
Nicoll, D.W., see Rankin, G.O., 207
Nordlander, U., see Hagberg, G.-B., 139

Oberleithner, H., Signal pathway of Na^+ in fused renal epithelial cells, 13
O'Brien, A., see Barron, E.T., 161
Olbricht, C.J., Gröne, H.-J., Gutjahr, E. and Bossaller, C., Potential contribution of lysosomal proteases to cyclosporine-A-induced nephrotoxicity, 251
Orita, Y., see Nakahama, H., 201
Osterman-Golkar, S., see Kolman, A., 307

Parivar, F., see Ross, B.D., 9
Pekelharing, H., see Meredith, C., 327
Pfaller, W., Gstraunthaler, G. and Willinger, C.C., Morphology of renal tubular damage from nephrotoxins, 39
Pfaller, W., see Gstraunthaler, G., 1
Pfannkuch, F., see L'Eplattenier, H.F., 227
Phipps, D.J., Spencer, A.J. and Harpur, E.S., Comparison of the renal response of male Fischer 344, Sprague-Dawley and Wistar rats to administration of gentamicin, 203
Pillai, R.M. and Watson, R.R., Minireview: In vitro immunotoxicology and immunopharmacology: studies on drugs of abuse, 269

Ponsler, G.D., see Rush, G.F., 215
Prashad, D., see Blackburn, R., 219

Rankin, G.O., Valentovic, M.A., Teets, V.J., Nicoll, D.W. and Brown, P.I., Autacoid modulation and *N*-(3,5-dichlorophenyl)succinimide nephrotoxicity, 207
Ross, B.D., Parivar, F., Kanamori, K. and Narasimhan, N.F.P.T., NMR: a tool for studying renal function and nephrotoxicity, 9
Rubin, R.J., Role of metabolic activation in the renal toxicity of carbon disulfide (CS_2), 211
Ruegg, C.E. and Mandel, L.J., Energy metabolism of the kidney: segmental differences may determine xenobiotic actions, 33
Rumrich, G., see Ullrich, K.J., 19
Rush, G.F. and Ponsler, G.D., Biochemical mechanisms of cephaloridine nephrotoxicity in suspensions of isolated rabbit proximal tubules, 215
Russel, F.G.M., see Cox, P.G.F., 175
Ryan, M.P., see Barron, E.T., 161
Ryan, M.P., see McGlynn, H., 197

Sackerer, D., see Guder, W.G., 37
Saurel, J., see Cal, J.-C., 169
Sawyer, R.T., see Kyriakides, M.A., 285
Scherrmann, J.-M., see Houzé, P., 339
Schmidt, D., see Guder, W.G., 37
Schneider, R.E., see Lehman-McKeeman, L.D., 193
Scholtysik, G., see L'Eplattenier, H.F., 227
Scott, M.P., see Meredith, C., 327
Sens, D.A., see McMartin, K.E., 241
Shaw, P.N., see Blagbrough, I.S., 257
Shaw, P.N., see Buckberry, L.D., 253
Silbernagl, S. and Heuner, A., Renal transport and metabolism of mercapturic acids and their precursors, 45
Simpson, M.G., see Kyriakides, M.A., 285
Siou, G., see Wilson, N.H., 155
Spencer, A.J., see Phipps, D.J., 203
Steinmassl, D., see Gstraunthaler, G., 1
Sterck, J.G.H., see Mertens, J.J.W.M., 147
Stevens, J.L. and Jones, T.W., The role of damage and proliferation in renal carcinogenesis, 121
Swenberg, J.A., see Dietrich, D.R., 179

Takigiku, R., see Lehman-McKeeman, L.D., 193
Teets, V.J., see Rankin, G.O., 207
Temmink, J.H.M., see Bruggeman, I.M., 167
Temmink, J.H.M., see Mertens, J.J.W.M., 147
Thomas, T., MacKenzie, S.A. and Gallo, M.A., Regulation of polyamine biosynthesis by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD), 315
Tune, B.M. and Chieh-Yin, H., Mechanisms of beta-lactam antibiotic nephrotoxicity, 81

Ueda, N., see Nakahama, H., 201
Ullrich, K.J., Rumrich, G., Gemborys, M. and Dekant, W., Transformation and transport: How does metabolic transformation change the affinity of substrates for the renal contraluminal anion and cation transporters?, 19

Valentovic, M.A., see Rankin, G.O., 207
Vamvakas, S. and Anders, M.W., Perturbation of calcium homeostasis as a link between acute cell injury and carcinogenesisin the kidney, 115
Vamvakas, S., see Dekant, W., 53
Van Bladeren, P.J., see Mertens, J.J.W.M., 147
Van Ginneken, C.A.M., see Cox, P.G.F., 175
Vu, D.D., see Chakrabarti, S., 131

Watson, R.R., see Pillai, R.M., 269
Weber, S., see Koob, M., 143
Whiting, P.H., Mechanisms underlying cyclosporin A nephrotoxicity, 69
Whiting, P.H., see Grieve, E.M., 225
Whiting, P.H., see McLaren, J., 237
Willinger, C.C., see Pfaller, W., 39
Wilson, N.H., Killeen, J.C., Jr., , Ford, W.H., Siou, G., Busey, W.M. and Eilrich, G.L., A 90-day study in rats with the monoglutathione conjugate of chlorothalonil, 155
Winkel, C. and Jans, A.W.H., A ^{13}C-NMR study on metabolic changes in proximal convoluted tubule cells induced by cadmium, 173
Wüthrich, A., see L'Eplattenier, H.F., 227

Young, J.A., see Lehman-McKeeman, L.D., 193

Zhao, J., see L'Eplattenier, H.F., 227

Toxicology Letters, 53 (1990) 357–359
Elsevier

SUBJECT INDEX VOL. 53 (1990)

Accumulation of α2u-globulin, 75
Acetamide, 135
Acute and chronic nephrotoxicity, 243
Acute renal failure, 9, 39
ADP-ribosylation, 115
Adriamycin, 93
Age dependence, 157
Alcohol-induced folate deficiency, 241
Alkaline phosphatase, 139
Alkylating agents, 97
Amino acid transport, 45
Antibody, 343
Antimycin A, 33
Antioxidants, 151
Apical membrane folate receptor, 241
Arachidonic acid, 225
Autacoids, 207
Avian renal portal system, 219
α2u-Globulin, 179, 193

Basolateral membranes, 29
B-cells, 269
1,4-Benzothiazines, 59
Beta-lactams, 81
Biochemical mechanisms, 69
2-Bromoethanamine, 225
2-Bromoethanamine hydrobromide, 183

Cadmium, 87, 173
Calcium, 143
Calcium homeostasis, 115
Carbapenems, 81
Carbon disulfide (CS_2), 211
Carbon disulfide desulfurase, 211
Carcinogenesis, 115
$CdCl_2$, 167
Cell culture, 1, 227, 261
Cell death, 115
Cell injury, 39
Cell nucleus, 13
Cell proliferation, 121
Cell separation, 97
Cephalexin, 231
Cephaloridine, 215
Cephalosporins, 1, 81
Chelation, 29
Chlorothalonil, 155
Chromate, 87
Chromate reduction, 157
Chrononephrotoxicity, 169
Cimetidine, 231
Cisplatin, 93, 243
Cisplatin nephrotoxicity, 161
Clearance, N-1-methyl-nicotinamide, 243
^{13}C-NMR spectroscopy, 173
Covalent binding, 211, 297
C-S lyase, 253, 257
Cyclosporin, 247, 251
Cyclosporin A nephrotoxicity, 69
Cysteine, 167
Cysteine conjugate β-lyase, 53, 253, 257
Cysteine S-conjugates, 53, 139
Cytokines, 269, 327
Cytosolic isozymes, 253
Cytotoxicity, 121, 143

DCVC, 253, 257
DDT, 297
Delayed nephrotoxicity, 29
Dichlorovinylcysteine, 135, 151
Dichlorovinyl-L-cysteine, 253, 257
Diethyldithiocarbamate, 93
Digoxin, 189
Dioxin, 315
Distal tubule, 97
Drug-induced nephrotoxicity, 37

Enzymes, 161
Epithelial cell, 13
Esterification, 19
Estrogens, 111
Ethanol and urinary folate excretion, 241
Ethylene oxide, 307

Fluorescence digital imaging microscopy, 115
Folate reabsorption, 241

Gene activation, 13

Gentamicin nephrotoxicity, 197
Gentamicin, 203
γ-Glutamyl transferase, 45
γ-Glutamyl transpeptidase, 139
γ-Glutamyltranspeptidase, 147
Glucose transport, 87
Glucose uptake, 237
Glucuronidation, 19
Glutamine transaminase, 253
Glutamine transaminase, 257
Glutathione conjugate metabolism, 127
Glutathione conjugation, 19
Glutathione S-conjugates, 53
Glutathione, 45
Glutathione, 97
Glutathione, 151
Glycosaminoglycans, 183
Growth factors, 121
GSH, 167

Haementaria salivary gland, 285
Halogenated alkenes, 139
Halogenated hydroquinone-glutathione conjugates, 147
Hamster kidney, 111
Hirudo, 285
Histology, 169
Human proximal tubule cell culture, 241
Human renal tissue, 253
Human renal tissue, 257
Hyaline droplet nephropathy, 193
Hydroxylation, 19
Hypoxia, 33

Image analysis, 169
Immunoglobulin synthesis, 269
Immunoreactivity, 339
Immunotoxicity, 327
In vitro nephrotoxicity, 1
In vitro nephrotoxicity, 167
In vitro, 327
Indomethacin, 175
Ion transport, 143
Isolated glomeruli, 247
Isolated kidney cells, 143
Isolated perfused rat kidney, 175
Isolated proximal tubules, 215

Kidney function, 175
Kidney, 45, 105, 121, 127, 155

Lactate dehydrogenase, 139
Leech CNS, 285
d-Limonene, 193
Lindane, 179
Lipid peroxidation, 187, 215
Lithium, 231
LLC-PK_1-cell line, 1, 147, 189, 227

Macrophages, 327
Mathematical models, 173
Maturation of transport processes, 223
MDCK-cell, 13
Medullary interstitial cells, 225
Membrane fluidity, 201
Membrane function, 87
Membrane-specific enzymes, 131
Mercapturic acids, 45, 135
Mercuric chloride, 87, 169
Metabolic activation, 111, 151
Metabolic fluxes, 173
Metal effects on membranes, 87
1-Methyl-4-phenylpyridinium, 339
Metallothionein, 29
Mitochondria, 81
Mitochondrial injury, 215
Monoglutathione conjugate, 155
Morphological analysis, 39
Morphology, 161
Mouse urinary protein, 193
mRNA, 327
Mutagenicity, 53, 151

Na^+ channel, 13
N-Acetyl transferase, 45
N-Acetylation, 19
N-Acetyl-β-D-glucosaminidase, 243
Na^+-dependent D-glucose transport, 201
Na/Hexose co-transport, 161
Naproxen, 175
Natural killer cells, 269
Neoplasia, 105, 121
Nephrocarcinogenicity, 111
Nephropathy, 179
Nephrotoxicity, 9, 53, 59, 75, 81, 93, 139, 147, 157, 187, 203, 207, 215, 219, 227, 251
Netilmicin, 201
Neurotoxicity, 285
Nitrosoureas, 93
NMR microscopy, 9
NMR spectroscopy and imaging, 9

Nystatin-stimulated respiration, 33
N-1-Methylnicotinamide, 231, 243

o,p'-DDD, 297
Organic anion transport, 131, 187
Organic cation transport, 187
Ouabain, 189
Oxidative stress, 97
Ozone, 343

PAH transport, 87
Paraquat, 339
Peptide metabolism, 45
Phlorizin, 237
Plasma membrane vesicles, 131
Polyamines, 315
Primary cell culture, 161, 237
Primary rat renal cell culture, 197
Prostaglandins, 207
Proteases, 251
Protein accumulation, 179
Proteinuria, 37
Proximal convoluted tubule cells, 173
Proximal tubular cells, 237
Proximal tubular hyperplasia, 155
Proximal tubule, 97, 161, 197

Quinol/quinone thioethers, 59

Rabbit lung cells, 297
Rad-equivalence, 307
Renal cadmium uptake, 29
Renal cell proliferation, 75
Renal clearance, 127, 231
Renal energy metabolism, 33
Renal folate transport and binding, 241
Renal handling, 175
Renal ion transporters, 19
Renal metabolism, 9, 211
Renal papillary necrosis, 183
Renal perfusion, 135
Renal portal valve, 219
Renal tubular damage, 37
Renal tubular secretion, 189
Repeated administration and nephrotoxicity, 223
Rescue, 93
Rotenone, 33

S-Conjugates, 59, 143
Stimulation of tubular transport, 223
Strain differences, 203
Structure–activity relationships, 257
Sulfation, 19
Suramin, 187
S-(1,2-Dichlorovinyl)-L-cysteine, 115, 131

TCDD, 315
T-cells, 269
12-O-Tetradecanoyl-phorbol-13-acetate (TPA), 307
Thiol metabolites, 155
Thromboxane, 207
Tobramycin, 37
Transport, 105
Triethyltin, 285
2,2,4-Trimethylpentane, 75
Tubulopathy, 69

Unleaded gasoline, 75
Uptake, 167
Urinary electrolytes, 203
Urinary obstruction, 9

Vasoconstriction, 69
Vasoreactivity, 247
Verapamil, 247

W/W^{v} mice, 343

Xenobiotic detoxication, 45
Xenobiotics, 105, 269